



REV.	LOCAS.	DESCRIPTION	DRAW.	DATE.
01	NEW	INITIAL RELEASE.	Junly	2008.05.23
02		ECN20120018	Junly	2012.04.21
03		ECN-1505006	Andy	2015.05.08



- NOTES:
- MATERIAL:
 - Copper Alloy T=0.10mm
 - FINISH:
 - 3u" MIN. Au Plating On Contact Area, 1u"MIN. Au Plating On Solder Area, 60~150u" Nickel Underplating Over All.
 - SPECIFICATIONS:
 - Contact Resistance:50mΩ Max.
 - Operating Temperature:-20°C~+65°C.
 - Pre-Load Force:0.30N On Contact Point.
 - Force Of 1.10~1.50mm:0.4N MIN,On Contact Point.
 - Max. Beam Deflection:0.70mm.On Contact POINT
 - RF PERFORMANCE:
 - Impedance:50 ohm.
 - Insertion Loss: 0.6dBMax.(DC~3GHz)
 - VSWR: 1.5MAX.(DC~3GHz).
 - DURABILITY:100 CYCLES.
 - PACKING SPECIFICATION:REEL&TAPE.





LOAD/DEFLECTION GRAPH
 MINIMUM CONTACT FORCES SHOWN
 TOLERANCE +0.25N / -0.0N

Initial Preload
 0.40 -Applying Load
 0.38 -Unapplying Load

Initial Preload
 0.37 -Applying Load
 0.35 -Unapplying Load

LOAD AT 1.10 MM HEIGHT
 INITIAL = 0.68 N (APPLYING LOAD)
 AFER 3 x REFLOW = 0.60 N




MEASURE POINT: QUADRANT POINT (QP) TANGENCY POINT (TP) INTERSECTION POINT (IP)				
UNLESS OTHERWISE SPECIFIED, TOLERANCE:	DESING	Andy	DATE	2015.05.08
X.x ±0.20	CHECKED	Peter	DATE	2015.05.08
X.xx ±0.15	APPROVED	Liufei	DATE	2015.05.08
X.xxx ±0.10	PART NO:	P-JS-IT-18		REV: 03
ANGULAR ±3°	DRAWING NO:	P-JS-IT-18		SCALE: 16:1
				UNIT: mm
				SHEET: 1/1
				TITLE: ANTENNA RF SPRING SMT TYPE H:1.80mm L:3.45*0.90*1.80mm

RoHS

User Direction of Unreeling

NOTES

1. NUMBER OF CONNECTORS: 6800PCS/REEL
2. LEAD TAPE LENGTH





3. QUANTITY: 81600PCS/CARTON

4. WEIGHT :

3.1 NET WEIGHT : 2.668Kg

3.2 GROSS WEIGHT : 5.672Kg



COVER TAPE PEELING ANGLE: 165°~180°

PEELING FORCE: 20~130g


CARRIER TAPE

User Direction of Unreeling

10-REEL

4-TRIANGLE PARTITION
380*235*5 K3K

CARTON
342*342*250 K=K



DETAIL B

DETAIL B

MEASURE POINT:
 QUADRANT POINT (QP)
 TANGENCY POINT (TP)
 INTERSECTION POINT (IP)

JITS JITS
 TECHNOLOGY CO., LIMITED

UNLESS OTHERWISE
 SPECIFIED, TOLERANCE:
 X. ±0.25
 X.x ±0.20
 X.xx ±0.15
 ANGULAR ±3°

DESIGN _____ DATE _____
 CHECKED _____ DATE _____
 APPROVED _____ DATE _____

TITLE:
 ANTENNA RF SPRING SMT TYPE
 H: 1.80mm L: 3.45*0.90*1.80mm

PART NO: P-JS-IT-18

REV: 03 SCALE: 1:1 UNIT: mm

DRAWING NO: P-JS-IT-18

SIZE: A4 SHEET: 2/2